

DETAILED ACTION

Allowable Subject Matter

Claims 2,4,6,8,10,12,14,16-18,20 are allowed. The following is an examiner's statement of reasons for allowance: the applied prior art does not teach reducing the radio output of the first cell and increasing the radio output of a second cell adjacent to the first cell before the channel utilization rate of the first cell reaches the implementation level according to the predicted time. These limitation , in conjunction with all other limitations, has not been disclosed, suggested or made obvious over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tilahun B. Gesesse whose telephone number is 571-272-7879. The examiner can normally be reached on flex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Anderson can be reached on 571-272-4177. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

April 16, 2010
T.B.G

Tilahun B Gesesse
Primary Examiner
Art Unit 2618

/Tilahun Gesesse/
Primary Examiner, Art Unit 2618